Corometrics Toco - External Cable

PS-320







mini-DIN Connector

1. Green
3. White
4. Brown
6. Yellow



Corometrics Connector

2. Brown
5. White
6. Yellow
8. Green



Order no.: 17481

Component list:

mini-DIN Connector:	male, 6 pole, black
Corometrics Conn.:	KT-017B
Cable:	6 x 0.14 mm², 1.75 m, grey

Metron AS
Travbaneveien 1
N-7044 Trondheim, NORWAY
Phone: +47 73 82 85 00
Fax: +47 73 91 70 09
E-mail: support@metron.no

METRON AS Norway	DESCRIPTION: Corometrics Toco - External Cable	
	DRAW CAT.: Schematic diagram	
	DRAW NO.: .	
PRODUCT: PS-320	DATE: 03.06.2001	PAGE: 1 av 1

Corometrics - Ultrasound Cable

PS-320





mini-DIN Connector

3. Green
5. Yellow



Front side



Solder side

Corometrics Connector

4. Green
5. Yellow + resistor
3+8. Jumper
11+12. Jumper



Front side



Solder side

Order no.: 17483

Component list:

mini-DIN Connector:	male, 8 pole, black
Corometrics Conn.:	KT-021B
Cable:	6 x 0.14 mm2, 1.75 m, grey
Resistor:	25 ohm 1% 1 ea

Metron AS
Travbaneveien 1
N-7044 Trondheim, NORWAY
Phone: +47 73 82 85 00
Fax: +47 73 91 70 09
E-mail: support@metron.no

METRON AS Norway	DESCRIPTION: Corometric - Ultrasound Cable	
	DRAW CAT.: Schematic diagram	
	DRAW NO.: .	
PRODUCT: PS-320	DATE: 03.06.2001	PAGE: 1 av 1

Agilent 50 Series Toco - External Cable

PS-320



mini-DIN Connector

1. Green
3. White
4. Brown
6. Yellow



Aligent Connector

2. Brown
3. Green
4. White
8. Yellow
1 + 6. Resistor



Order no.: 17484

Component list:

mini-DIN Connector:	male, 6 pole, black
Agilent Connector:	PN 1251-6887 (brown)
Cable sleeve:	120600 Skindicht - SNR 7/5
Cable:	6 x 0.14 mm², 1.75 m, grey
Resistor:	4k53 1% 1 ea

Metron AS
Travbaneveien 1
N-7044 Trondheim, NORWAY
Phone: +47 73 82 85 00
Fax: +47 73 91 70 09
E-mail: support@metron.no

METRON AS Norway	DESCRIPTION: Agilent 50 Series Toco - External Cable	
	DRAW CAT.: Schematic diagram	
	DRAW NO.: .	
PRODUCT: PS-320	DATE: 03.06.2001	PAGE: 1 av 1

Corometrics Toco - IUP Cable

PS-320







mini-DIN Connector

1. Green
3. White
4. Brown
6. Yellow



Corometrics Connector

5. White
6. Yellow
8. Green
2+10. Brown



Order no.: 17486

Component list:

mini-DIN Connector: male, 6 pole, black
Corometrics Conn.: KT-017B
Cable: 6 x 0.14 mm², 1.75 m, grey

Metron AS
Travbaneveien 1
N-7044 Trondheim, NORWAY
Phone: +47 73 82 85 00
Fax: +47 73 91 70 09
E-mail: support@metron.no

METRON AS Norway	DESCRIPTION: Corometrics Toco - IUP Cable	
	DRAW CAT.: Schematic diagram	
	DRAW NO.: .	
PRODUCT: PS-320	DATE: 03.06.2001	PAGE: 1 av 1

This drawing is the property of Fluke Biomedical, neither the drawing, nor reproductions of it, nor information derived from it is to be given to others. No use is to be made of it which is, or may be injurious to the Fluke Corporation.

Dwg No. 2462555

Rev	ECN No.
2	10203

NOTES:









PROPRIETARY NOTICE

THIS DOCUMENT CONTAINS INFORMATION PROPRIETARY TO THE FLUKE CORPORATION, AND SHALL NOT BE USED FOR ENGINEERING DESIGN, PROCUREMENT, OR MANUFACTURE IN WHOLE OR IN PART WITHOUT EXPRESS WRITTEN CONSENT OF THE FLUKE CORPORATION.

Unless otherwise specified, dimensions are in inches, tolerances are:
Decimals: .XX±.015 .XXX±.005
Angles: ±1° Fractions: ±1/32 Finish: 63 ✓
Remove all burrs & break sharp edges .005 to .015

FLUKE CORPORATION
P.O.BOX 9090
EVERETT, WASHINGTON 98206-9090

Drawn by	M. Hart	Date 11/22/08
Engineer		11/22/08
Approved	N/A	—
QA		12/5/08

Title: 17490, OXFORD ULTRASND SIMU CABLE 1.5MHZ (YEL) PS-320

Size	Cage No	Dwg No	Rev
B	1JZH3	2462555	2

Scale 1/1 | Do Not Scale | Sheet 1 Of 1

This drawing is the property of Fluke Biomedical, neither the drawing, nor reproductions of it, nor information derived from it is to be given to others. No use is to be made of it which is, or may be injurious to the Fluke Corporation.

Dwg No. 2462562

Rev	ECN No.
2	10203

NOTES:







PROPRIETARY NOTICE

THIS DOCUMENT CONTAINS INFORMATION PROPRIETARY TO THE FLUKE CORPORATION, AND SHALL NOT BE USED FOR ENGINEERING DESIGN, PROCUREMENT, OR MANUFACTURE IN WHOLE OR IN PART WITHOUT EXPRESS WRITTEN CONSENT OF THE FLUKE CORPORATION.

Unless otherwise specified, dimensions are in inches, tolerances are:
Decimals: .XX±.015 .XXX±.005
Angles: ±1° Fractions: ±1/32 Finish: 63 ✓
Remove all burrs & break sharp edges .005 to .015

FLUKE CORPORATION
P.O.BOX 9090
EVERETT, WASHINGTON 98206-9090

Drawn by	M. Hall	Date 1/22/08
Engineer		1/22/08
Approved	N/A	—
QA		1/25/08

Title
17491, OXFORD ULTRASND
SIMU CABLE 2.0MHZ
(BLUE) PS-320

Size	Cage No	Dwg No	Rev
B	1JZH3	2462562	2
Scale 1/1	Do Not Scale	Sheet 1 Of 1	

This drawing is the property of Fluke Biomedical, neither the drawing, nor reproductions of it, nor information derived from it is to be given to others. No use is to be made of it which is, or may be injurious to the Fluke Corporation.

Dwg No. 2462570

Rev	ECN No.
2	10203

NOTES:







PROPRIETARY NOTICE

THIS DOCUMENT CONTAINS INFORMATION PROPRIETARY TO THE FLUKE CORPORATION, AND SHALL NOT BE USED FOR ENGINEERING DESIGN, PROCUREMENT, OR MANUFACTURE IN WHOLE OR IN PART WITHOUT EXPRESS WRITTEN CONSENT OF THE FLUKE CORPORATION.

Unless otherwise specified, dimensions are in inches, tolerances are:
Decimals: .XX±.015 .XXX±.005
Angles: ±1° Fractions: ±1/32 Finish: 63 ✓
Remove all burrs & break sharp edges .005 to .015

FLUKE CORPORATION
P.O.BOX 9090
EVERETT, WASHINGTON 98206-9090

Drawn by M. Hart	Date 1/22/08	
Engineer	1/22/09	
Approved N/A	–	
QA	1/23/08	

Title
17492, OXFORD TOCO IUP SIMULATION CABLE PS-320

Size	Cage No	Dwg No	Rev
B	1JZH3	2462570	2

Scale 1/1 | Do Not Scale | Sheet 1 Of 1

Oxford - Ultrasound Cable 1.5MHz (Yellow)

PS-320



mini-DIN Connector

3. White
5. Yellow



Front side



Solder side

Oxford Connector

5. Resistor + Yellow
6. White
4. Jumper
11. Jumper



Front side



Solder side

Order no.: 17490

Component list:

mini-DIN Connector:	male, 8 pole, black
Oxford Connector:	Yellow
Cable:	LIYY 6 x 0.14 mm², 1.75 m, grey
Resistor:	25R5 1% 1 ea

Metron AS
Vegamot 8
N-7048 Trondheim, NORWAY
Phone: +47 73 95 47 00
Fax: +47 73 95 47 01
E-mail: support@metron.no

METRON AS Norway	DESCRIPTION: Oxford - Ultrasound Cable	
	DRAW CAT.: Schematic diagram	
	DRAW NO.: .	
PRODUCT: PS-320	DATE: 05.08.2002	PAGE: 1 of 1

Oxford - Ultrasound Cable 2.0MHz (Blue)

PS-320



mini-DIN Connector

3. White
5. Yellow



Oxford Connector

5. Resistor + Yellow
6. White
4. Resistor
11. Resistor



Order no.: 17491

Component list:

mini-DIN Connector:	male, 8 pole, black
Oxford Connector:	Blue
Cable:	LIYY 6 x 0.14 mm², 1.75 m, grey
Resistor:	1k3 1% 1 ea
Resistor:	25R5 1% 1 ea

Metron AS
Vegamot 8
N-7048 Trondheim, NORWAY
Phone: +47 73 95 47 00
Fax: +47 73 95 47 01
E-mail: support@metron.no

METRON AS Norway	DESCRIPTION: Oxford - Ultrasound Cable	
	DRAW CAT.: Schematic diagram	
	DRAW NO.: .	
PRODUCT: PS-320	DATE: 05.08.2002	PAGE: 1 of 1

PS-320 Oxford Toco - IUP Cable (Pink)

Mod.: SONICAID





mini-DIN Connector

1. Green
3. White
4. Brown
6. Yellow



Front side **Solder side**

Oxford Connector

2. Yellow
3. Green
4. Brown
6. Resistor
7. Resistor
10. White



Front side **Solder side**

Order no.: 17492

Component list:

mini-DIN Connector:	male, 6 pole, black
Oxford Connector:	Pink
Cable:	LIYY 6 x 0.14 mm2, 1.75 m, grey
Resistor:	5k6 1% 1 ea

Metron AS
Vegamot 8
N-7048 Trondheim, NORWAY
Phone: +47 73 95 47 00
Fax: +47 73 95 47 01
E-mail: support@metron.no

METRON AS Norway	DESCRIPTION: Oxford Toco - IUP Cable	
	DRAW CAT.: Schematic diagram	
	DRAW NO.: .	
PRODUCT: PS-320	DATE: 09.04.2003	PAGE: 1 of 1

PS-320 Oxford - Ultrasound Cable 1.5MHz





mini-DIN Connector

3. White
4. Brown
5. Yellow



Front side **Solder side**

Oxford Connector

5. Resistor + Yellow
6. White
12. Brown
4. Resistor
11. Resistor



Front side **Solder side**

Order no.: 17490

Component list:

mini-DIN Connector:	male, 8 pole, black
Oxford Connector:	Yellow
Cable:	LIYY 6 x 0.14 mm², 1.75 m, grey
Resistor:	25R5 1% 1 ea
Resistor:	1k3 1% 1 ea

Metron AS
Vegamot 8
N-7048 Trondheim, NORWAY
Phone: +47 73 95 47 00
Fax: +47 73 95 47 01
E-mail: support@metron.no

METRON AS Norway	DESCRIPTION: PS-320 Oxford - Ultrasound Cable	
	DRAW CAT.: Schematic diagram	
	DRAW NO.: .	
PRODUCT: PS-320	DATE: 02.09.2004	PAGE: 1 of 1

PS-320 Oxford - Ultrasound Cable 2.0MHz





mini-DIN Connector

3. White
4. Brown
5. Yellow



Front side **Solder side**

Oxford Connector

5. Resistor + Yellow
6. White
12. Brown
4. Jumper
11. Jumper



Front side **Solder side**

Order no.: 17491

Component list:

mini-DIN Connector:	male, 8 pole, black
Oxford Connector:	Blue
Cable:	LIYY 6 x 0.14 mm², 1.75 m, grey
Resistor:	25R5 1% 1 ea

Metron AS
Vegamot 8
N-7048 Trondheim, NORWAY
Phone: +47 73 95 47 00
Fax: +47 73 95 47 01
E-mail: support@metron.no

METRON AS Norway	DESCRIPTION: PS-320 Oxford - Ultrasound Cable	
	DRAW CAT.: Schematic diagram	
	DRAW NO.: .	
PRODUCT: PS-320	DATE: 02.09.2004	PAGE: 1 of 1

PS-320 Oxford Toco - IUP Cable (Pink)

Mod.: SONICAID





mini-DIN Connector

1. Green
3. White
4. Brown
6. Yellow



Front side **Solder side**

Oxford Connector

2. Yellow
3. Green
4. Brown
6. Resistor
7. Resistor
10. White



Front side **Solder side**

Order no.: 17492

Component list:

mini-DIN Connector:	male, 6 pole, black
Oxford Connector:	Pink
Cable:	LIYY 6 x 0.14 mm2, 1.75 m, grey
Resistor:	5k6 1% 1 ea

Metron AS
Vegamot 8
N-7048 Trondheim, NORWAY
Phone: +47 73 95 47 00
Fax: +47 73 95 47 01
E-mail: support@metron.no

METRON AS Norway	DESCRIPTION: Oxford Toco - IUP Cable	
	DRAW CAT.: Schematic diagram	
	DRAW NO.: .	
PRODUCT: PS-320	DATE: 09.04.2003	PAGE: 1 of 1

PS-320 Oxford Toco - IUP Cable

Mod.: SONICAID





mini-DIN Connector

1. Green
3. White
4. Brown
6. Yellow



Front side **Solder side**

Oxford Connector

2. Yellow
3. Green
4. Brown
6. Resistor
7. Resistor
10. White



Front side **Solder side**

Order no.: 17492

Component list:

mini-DIN Connector:	male, 6 pole, black
Oxford Connector:	Pink
Cable:	LIYY 6 x 0.14 mm2, 1.75 m, grey
Resistor:	5k6 1% 1 ea

Metron AS
Vegamot 8
N-7048 Trondheim, NORWAY
Phone: +47 73 95 47 00
Fax: +47 73 95 47 01
E-mail: support@metron.no

METRON AS Norway	DESCRIPTION: PS-320 Oxford Toco - IUP Cable	
	DRAW CAT.: Schematic diagram	
	DRAW NO.: .	
PRODUCT: PS-320	DATE: 28.07.2004	PAGE: 1 of 1

Corometrics Toco - External Cable

PS-320





mini-DIN Connector

1. Green
3. White
4. Brown
6. Yellow



Front side **Solder side**

Corometrics Connector

1. White
2. Yellow
4. Green
6. Brown



Front side **Solder side**

Order no.: 17481

Component list:

mini-DIN Connector: male, 6 pole, black
Corometrics Conn.: KT-017B
Cable: LIYY 6 x 0.14 mm², 1.75 m, grey

Metron AS
Vegamot 8
N-7048 Trondheim, NORWAY
Phone: +47 73 95 47 00
Fax: +47 73 95 47 01
E-mail: support@metron.no

METRON AS Norway	DESCRIPTION: Corometrics Toco - External Cable	
	DRAW CAT.: Schematic diagram	
	DRAW NO.: .	
PRODUCT: PS-320	DATE: 06.10.2001	PAGE: 1 of 1

PS-320 Agilent - Ultrasound Cable

Agilent M1350B (50XM), M1350C (50XMO), M1353A (50 IP-2), M1353A (50 IP), (Only on Cardio 1)



mini-DIN Connector

2. White
5. Yellow
3 + 8. Green



Front side **Solder side**

Agilent Connector

4. Resistor + Cap. + Yellow
8. Resistor + Cap. + White
6. Green +
1. Resistor



Front side **Solder side**

Order no.: 17482

Component list:

mini-DIN Connector:	male, 8 pole, black
Agilent Connector:	PN 1252-4830 (Rose)
Cable sleeve:	120600 Skindicht - SNR 7/5
Cable:	LIYY 6 x 0.14 mm², 1.75 m, grey
Resistor:	280 ohms 1% 2 ea
Resistor:	665 ohms 1% 1 ea
Capacitors:	Cer. 0.1 µF 10% 2 ea

Metron AS
Vegamot 8
N-7048 Trondheim, NORWAY
Phone: +47 73 95 47 00
Fax: +47 73 95 47 01
E-mail: support@metron.no

METRON AS Norway	DESCRIPTION: PS-320 Agilent - Ultrasound Cable	
	DRAW CAT.: Schematic diagram	
	DRAW NO.: .	
PRODUCT: PS-320	DATE: 28.07.2004	PAGE: 1 of 1

PS-320 Corometrics - Ultrasound Cable

Model 116, 151





mini-DIN Connector

3. Green + jumper
5. Yellow
8. jumper



Front side



Solder side

Corometrics Connector

2. Green
3. Resistor + Yellow
10+11. Jumper



Front side



Solder side

Order no.: 17483

Component list:

mini-DIN Connector: male, 8 pole, black
Corometrics Conn.: KT-021B
Cable: LIYY 6 x 0.14 mm², 1.75 m, grey
Resistor: 25.5 ohm 1% 1 ea

Metron AS
Vegamot 8
N-7048 Trondheim, NORWAY
Phone: +47 73 95 47 00
Fax: +47 73 95 47 01
E-mail: support@metron.no

METRON AS Norway	DESCRIPTION: Corometric - Ultrasound Cable	
	DRAW CAT.: Schematic diagram	
	DRAW NO.: .	
PRODUCT: PS-320	DATE: 04.10.2002	PAGE: 1 of 1

PS-320 Agilent Toco - External Cable

Agilent M1350B/C, M1353A (50 IP-2)





mini-DIN Connector

1. Green
3. White
4. Brown
6. Yellow



Aligent Connector

2. Brown
3. Green
4. White
8. Yellow
1 + 6. Resistor



Order no.: 17484

Component list:

mini-DIN Connector:	male, 6 pole, black
Agilent Connector:	PN 1251-6887 (brown)
Cable sleeve:	120600 Skindicht - SNR 7/5
Cable:	LIYY 6 x 0.14 mm², 1.75 m, grey
Resistor:	4k53 1%

Metron AS
Vegamot 8
N-7048 Trondheim, NORWAY
Phone: +47 73 95 47 00
Fax: +47 73 95 47 01
E-mail: support@metron.no

METRON AS Norway	DESCRIPTION: PS-320 Agilent Toco - External Cable	
	DRAW CAT.: Schematic diagram	
	DRAW NO.: .	
PRODUCT: PS-320	DATE: 28.07.2004	PAGE: 1 of 1

PS-320 Corometrics Toco - IUP Cable

Model 116





mini-DIN Connector

1. Green
3. White
4. Brown
6. Yellow



Front side **Solder side**

Corometrics Connector

1. White
2. Yellow
4. Green
6+12. Brown



Front side **Solder side**

Order no.: 17486

Component list:

mini-DIN Connector: male, 6 pole, black
Corometrics Conn.: KT-017B
Cable: LIYY 6 x 0.14 mm², 1.75 m, grey

Metron AS
Vegamot 8
N-7048 Trondheim, NORWAY
Phone: +47 73 95 47 00
Fax: +47 73 95 47 01
E-mail: support@metron.no

METRON AS Norway	DESCRIPTION: Corometrics Toco - IUP Cable	
	DRAW CAT.: Schematic diagram	
	DRAW NO.: .	
PRODUCT: PS-320	DATE: 12.07.2002	PAGE: 1 of 1

Agilent 50 & 8040 Series Toco - IUP Cable

PS-320





mini-DIN Connector

1. Green
3. White
4. Brown
6. Yellow



Aligent Connector

A. Brown
C. Green
B. White
D. Yellow
1+6 Resistor



Order no.: 17487

Component list:

mini-DIN Connector:	male, 6 pole, black
Agilent Connector:	PN 1251-6887 (brown)
Cable sleeve:	120600 Skindicht - SNR 7/5
Cable:	LIYY 6 x 0.14 mm², 1.75 m, grey
Resistor:	2k32 1%

Metron AS
Vegamot 8
N-7048 Trondheim, NORWAY
Phone: +47 73 95 47 00
Fax: +47 73 95 47 01
E-mail: support@metron.no

METRON AS Norway	DESCRIPTION: Agilent 50 & 8040 Series Toco - IUP Cable	
	DRAW CAT.: Schematic diagram	
	DRAW NO.: .	
PRODUCT: PS-320	DATE: 05.09.2001	PAGE: 1 of 1

Agilent 8040 - Ultrasound Cable

PS-320





Order no.: 17488

Component list:

mini-DIN Connector:	male, 8 pole, black
Agilent Connector:	PN 1252-2700 (Blue)
Cable sleeve:	120600 Skindicht - SNR 7/5
Cable:	LIYY 6 x 0.14 mm², 1.75 m, grey
Resistor:	280 ohms 1%
Resistor:	665 ohms 1%

Metron AS
Vegamot 8
N-7048 Trondheim, NORWAY
Phone: +47 73 95 47 00
Fax: +47 73 95 47 01
E-mail: support@metron.no

METRON AS Norway	DESCRIPTION: Agilent 8040 - Ultrasound Cable	
	DRAW CAT.: Schematic diagram	
	DRAW NO.: .	
PRODUCT: PS-320	DATE: 04.10.2002	PAGE: 1 of 1

Agilent 8040 - External Toco

PS-320





mini-DIN Connector

5. White
6. Yellow



Agilent Connector

8. White
4. Yellow
1+6 Resistor



Order no.: 17489

Component list:

mini-DIN Connector:	male, 6 pole, black
Agilent Connector:	PN 1251-6887 (brown)
Cable sleeve:	120600 Skindicht - SNR 7/5
Cable:	LIYY 6 x 0.14 mm², 1.75 m, grey
Resistor:	665 Ohms 1%

Metron AS
Vegamot 8
N-7048 Trondheim, NORWAY
Phone: +47 73 95 47 00
Fax: +47 73 95 47 01
E-mail: support@metron.no

METRON AS Norway	DESCRIPTION: Agilent 8040 - External Toco	
	DRAW CAT.: Schematic diagram	
	DRAW NO.: .	
PRODUCT: PS-320	DATE: 05.09.2001	PAGE: 1 of 1